

Price List

Valid from January 2011

**All Standard 19-inch Transit Racks
& Accessories**

**Standard Products
for Custom Solutions**



**TRUSTED
WHEN IT
MATTERS**


Anti-Vibration ProRack



CP ProRack range of cases is manufactured from 9mm top grade Finnish birch plywood that is laminated with a non-reflective, abrasive-resistant black vulcanised fibre.

All edges are covered with angle protectors fitted with nickel-plated machine driven steel rivets. Heavy duty, recessed butterfly catches and handles are fitted, and to ensure maximum protection for your equipment, we use zinc-plated knuckle ball corners.

The case centre section is fitted with a lightweight pre-stressed steel suspended 19" sub-frame with punched burst holes giving rigidity and reducing weight. Anti-vibration mounts are focused towards the centre of mass for maximum vibration protection



Part Number	U-Height	External Depth inc lids mm	External Width mm	External Height mm	Lid External Depth mm	Weight kg	Unit price £ ex VAT
PRS04502	4U	705	620	331	78	28.0	£948
PRS04702	4U	905	620	331	78	30.0	£1,066
PRS06502	6U	705	620	420	78	31.5	£1,045
PRS06702	6U	905	620	420	78	34.0	£1,152
PRS08502	8U	705	620	509	78	35.0	£1,157
PRS08702	8U	905	620	509	78	38.0	£1,257
PRS10502	10U	705	620	598	78	38.5	£1,235
PRS10702	10U	905	620	598	78	42.0	£1,361
PRS12502	12U	705	620	687	78	42.0	£1,330
PRS12702	12U	905	620	687	78	46.0	£1,462
PRS14502	14U	705	620	775	78	45.5	£1,398
PRS14702	14U	905	620	775	78	50.0	£1,515
PRS16502	16U	705	620	864	78	49.0	£1,445
PRS16702	16U	905	620	864	78	54.0	£1,545
PRS18502	18U	705	620	953	78	52.5	£1,525
PRS18702	18U	905	620	953	78	58.0	£1,632
PRS20502	20U	705	620	1042	78	56.0	£1,545
PRS20702	20U	905	620	1042	78	62.0	£1,661
PRS22502	22U	705	620	1131	78	59.5	£1,633
PRS22702	22U	905	620	1131	78	66.0	£1,755
PRS24502	24U	705	620	1220	78	63.0	£1,702
PRS24702	24U	905	620	1220	78	70.0	£1,833
PRS26502	26U	705	620	1309	78	66.5	£1,794
PRS26702	26U	905	620	1309	78	74.0	£1,955
PRS28502	28U	705	620	1398	78	70.0	£1,854
PRS28702	28U	905	620	1398	78	78.0	£1,990
PRS30502	30U	705	620	1487	78	73.5	£1,941
PRS30702	30U	905	620	1487	78	82.0	£2,069
PRS34502	34U	705	620	1709	78	80.5	£2,014
PRS34702	34U	905	620	1709	78	90.0	£2,142

Options & Accessories

Part Number	Description	External Height mm	Weight kg	Unit price £ ex VAT
PRSWB50	Wheel board (to suit frame depth of 500 mm)	154	9.5	£152
PRSWB70	Wheel board (to suit frame depth of 700 mm)	154	10.0	£152
PS451505	Support shelf 500 mm (per pair inc fixings)		0.7	£53
PS451705	Support shelf 700 mm (per pair inc fixings)		1.1	£53
423PRO	Spare M6 fixings (pack of 12)			£9



Call 020 8568 1881 to order or contact sales@cpcases.com
 Unit 11 Worton Hall Industrial Estate, Worton Road, Isleworth, Middlesex TW7 6ER, United Kingdom
 Tel: +44 (0)20 8568 1881 Fax: +44 (0)20 8568 1141 info@cpcases.com www.cpcases.com

V12.01 Updated January 2012 E&OE.

All information believed to be correct at time of publication. No liability accepted for decisions made as a result of errors. Specifications may change without notice.

Fixed Rail ProRack



CP Cases' Fixed Rail ProRack provides identical hardwearing, resilient outer case protection as our Anti-Vibration ProRack but without floating inner frame, ideal for applications which do not require protection from vibration hazard.

Built from top-grade, laminated Finnish plywood, with proven, glue & pin cabinet-style construction, CP Cases' Fixed Rail ProRack has unique, patented rack-shelf side supports in pre-stressed steel which may be fitted at any height to suit your rack-mount equipment. An optional rear rack rail is also available for additional support.

CP Cases' ProRack is popular with leading electronics organisations, for example Sony, as a transit solution for many "solutions in a box" applications.

CP Cases' Fixed Rail ProRack is available in sizes from 4U to 26U in 2U steps, most sizes may be fitted with single or double lids.



Part Number	Description	External Dims mm			Weight kg	Rear Rack Rail Unit Price £ ex VAT	Unit Price £ ex VAT
		L	W	H			
PRF04FR	4U twin lids	535	705	228	13	£9	£462
PRF06FR	6U twin lids	535	705	318	15	£12	£507
PRF08FT	8U front lid / trap door	535	700	408	15	£14	£478
PRF08FR	8U twin lids	535	705	408	16	£14	£538
PRF10FT	10U front lid / trap door	535	700	495	18	£17	£605
PRF10FR	10U twin lids	535	705	495	21	£17	£716
PRF12FT	12U front lid / trap door	535	700	585	19	£19	£605
PRF12FR	12U twin lids	535	705	585	23	£19	£750
PRF14FT	14U front lid / trap door	535	700	672	22	£20	£651
PRF14FR	14U twin lids	535	705	672	24	£20	£782
PRF16FT	16U front lid / trap door	535	700	765	23	£22	£679
PRF16FR	16U twin lids	535	705	765	25	£22	£818
PRF18FT	18U front lid / trap door	535	700	850	25	£23	£709
PRF18FR	18U twin lids	535	705	850	28	£23	£855
PRF20FT	20U front lid / trap door	535	700	940	27	£24	£737
PRF20FR	20U twin lids	535	705	940	30	£24	£886
PRF22FR	22U twin lids	535	705	1030	32	£25	£922
PRF24FR	24U twin lids	535	705	1120	35	£27	£981
PRF26FR	26U twin lids	535	705	1210	37	£28	£1,012

Options & Accessories

Part Number	Description	Unit price £ ex VAT
PRFWB01	Wheel board, 18 mm plywood with 100 mm castors	£139
421/1	Support shelf, racks with rails front and rear	£23
PS451505	Support shelf, racks with front rail only	£53
423PRO	Spare Fixings (pack of 12)	£9



Call 020 8568 1881 to order or contact sales@cpcases.com

Unit 11 Worton Hall Industrial Estate, Worton Road, Isleworth, Middlesex TW7 6ER, United Kingdom

Tel: +44 (0)20 8568 1881 Fax: +44 (0)20 8568 1141 info@cpcases.com www.cpcases.com

V12.01 Updated January 2012 E&OE.

All information believed to be correct at time of publication. No liability accepted for decisions made as a result of errors. Specifications may change without notice.

EMS 19-inch Modular Rack



CP Cases' EMS 19-inch racks are exceptional value for money, the unique modular design "grows" in U-height with the addition of extra units, as new kit is acquired - no need to purchase a complete new rack. Small mixer desks etc may be mounted in the top face of the case for use with the top deck off.

Constructed from tough, lightweight, impact and heat-resistant polycarbonate composite material (also used for crash helmets and police riot shields), EMS racks protect and support against wear and tear in transit and performance.

EMS racks are finished in wipe-clean matt black. Optional grey lids available on request for a two-tone finish.

Individual EMS modules are 3U in size, and EMS racks are available in 3U, 6U, 9U, 12U and 15U heights. The 3U racks are shipped fully assembled, whilst all other heights are flat-packed for self-assembly (full instructions, Allen key and fixings included).



Part Number	Description	Depth between racks	External dims mm	Weight kg	Unit Price £ ex VAT
400/3	3U Assembled	380	204 x 530 x 510	5.5	£155
400/6	6U Flat-packed	380	339 x 530 x 510	7.7	£188
400/9	9U Flat-packed	380	474 x 530 x 510	9.1	£237
400/12	12U Flat-packed	380	609 x 530 x 510	10.8	£278
400/15	15U Flat-packed	380	744 x 530 x 510	12.8	£358
500/3	3U Assembled	460	204 x 530 x 590	6.3	£172
500/6	6U Flat-packed	460	339 x 530 x 590	8.6	£237
500/9	9U Flat-packed	460	474 x 530 x 590	10.3	£292
500/12	12U Flat-packed	460	609 x 530 x 590	11.9	£358
500/15	15U Flat-packed	460	744 x 530 x 590	13.9	£426

Options & Accessories

Part Number	Description	Weight kg	Unit Price £ ex VAT
MOD41A	Expands EMS400 series from 6U to 9U or 9U to 12U	1.7	£63
MOD41B	Expands EMS400 series from 12U to 15U	2.0	£76
MOD41C	Expands EMS400 series from 3U to 6U	2.4	£80
MOD51A	Expands EMS500 series from 6U to 9U or 9U to 12U	1.9	£70
MOD51B	Expands EMS500 series from 12U to 15U	2.2	£80
MOD51C	Expands EMS500 series from 3U to 6U	2.6	£84
EMS402/1	Horizontal Mounting Kit for EMS400 series	1.8	£42
EMS502/1	Horizontal Mounting Kit for EMS500 series	2.0	£47
EMS401	Support Shelves for EMS400 series (one pair)	1.5	£27
EMS501	Support Shelves for EMS500 series (one pair)	2.0	£27
EMS413/B	Wheelboard and 4 castors with brake for EMS400 series	5.5	£89
EMS513/B	Wheelboard and 4 castors with brake for EMS500 series	5.5	£89
EMS106	Stacking Feet (set of four) for EMS series	0.3	£22
EMS112	Corner Buffers (set of eight) for EMS series	0.3	£22
EMS111	Spare Rack Fixings (set of twelve)	0.3	£8



Call 020 8568 1881 to order or contact sales@cpcases.com

Unit 11 Worton Hall Industrial Estate, Worton Road, Isleworth, Middlesex TW7 6ER, United Kingdom

Tel: +44 (0)20 8568 1881 Fax: +44 (0)20 8568 1141 info@cpcases.com www.cpcases.com

V12.01 Updated January 2012 E&OE.

All information believed to be correct at time of publication. No liability accepted for decisions made as a result of errors. Specifications may change without notice.

CP Cases' StratoRack is a lightweight, hardwearing 19-inch transit rack constructed from rigidised aluminium throughout with fixed racking rails both front and rear. StratoRack has two detachable lids, front and rear for easy access and an attractive epoxy-powder gun-metal finish.

CP Cases' StratoRack is weather resistant, with neoprene gasket inside the lids for protection against dust, dirt and rain. Featuring easy-grip steel reinforced handle and indents/outdents top and bottom to ensure positive stacking across the range, StratoRack is an ideal solution for field test and measurement equipment applications.

CP Cases' StratoRack is available in 2, 3 and 4U heights with a rack depth of 400 mm, and includes panel fixing screws.



Part Number	Description	External Dims mm			Weight kg	Unit Price £ ex VAT
		L	W	H		
462SR	2U Strato Rack	540	530	110	5.4	£302
463SR	3U Strato Rack	540	530	150	6.0	£307
464SR	4U Strato Rack	540	530	190	6.5	£309

RackBag

CP Cases' RackBag is a user-friendly 19-inch transit rack solution, combining the advantages of a rigid rack case with the benefits of a padded protective bag.

CP Cases' RackBag interior shell is constructed from laminated plywood encased in a foam jacket, to create a cushioned, carry-friendly rack with stiffened zip-close padded lids both top and bottom. The outer cover is made of hi-denier texturised nylon, weatherproof and tear resistant, with hi-strain webbing hand straps, adjustable shoulder strap with non-slip pad and external zip-close pouch for cables and manuals.

CP Cases' RackBag is a popular choice for rack-mount equipment that is carried by hand between locations, especially via public transport; and is widely used by sound engineers.

CP Cases' RackBag is available in 2, 3, 4 and 5U heights, has a rack depth of 420 mm, and includes panel fixing screws.



Part Number	Description	External Dims mm			Weight kg	Unit Price £ ex VAT
		L	W	H		
462RB	2U RackBag	520	540	140	5.5	£216
463RB	3U RackBag	520	540	190	6.0	£218
464RB	4U RackBag	520	540	230	6.5	£225
465RB	5U RackBag	520	540	270	7.0	£231

Options & Accessories



CP Cases provides a wide selection of options and accessories for our standard range of 19-inch rack-mount solutions, to enable you to customise your purchase to suit both you (and your product's) individual requirements.

Whether it's shelves, drawers, a pull-out table for a keyboard or mouse, blank fascia panels or additional fixings, all CP Cases' accessories have been designed and manufactured with the same attention to detail as the racks themselves, many are patented.

All CP Cases' options and accessories ship with full instructions and fittings, unless stated otherwise.

CP Cases also offers a comprehensive branding and labelling service, including silk screen printing, engraving, etching and embroidery (for soft bags). It's a cost-effective way to identify your products and make a positive statement about your company.



Part Number	Description	Unit Price £ ex VAT
421/1	Rack support shelves (set of 2)	£25
422/KBT2	Case-mounted keyboard tray (width 475 mm)	£149
426/D2R	Road drawer for 2U chassis	£126
426/D3R	Road drawer for 3U chassis	£127
426/D4R	Road drawer for 4U chassis	£133
426/KBT2	Pull out keyboard tray (width 435 mm)	£155
426/LOK	Road drawer lock	£16
426/LT2	Locking front, pull-out laptop table	£214
426/RDS	Hanging file suspension rods for in-rack filing system	£21
426/WT1	Writing/mouse pull-out table top	£155
426D6R	Road drawer for 6U chassis	£150
427/CK2	2U conversion kit	£67
427/CK3	3U conversion kit	£70
427/CK4	4U conversion kit	£69
431/BSU	19-inch panel, 1U blank steel U section	£8
431/VSU	19-inch panel, 1U vented steel U section	£12
432/BSU	19-inch panel, 2U blank steel U section	£12
432/VSU	19-inch panel, 2U vented steel U section	£16
433/BSU	19-inch panel, 3U blank steel U section	£15
433/VSU	19-inch panel, 3U vented steel U section	£20
434/BSU	19-inch panel, 4U blank steel U section	£20
434/VSU	19-inch panel, 4U vented steel U section	£25
450/150	Rack support, 1500 mm vertical rail	£23



Call 020 8568 1881 to order or contact sales@cpcases.com

Unit 11 Worton Hall Industrial Estate, Worton Road, Isleworth, Middlesex TW7 6ER, United Kingdom
Tel: +44 (0)20 8568 1881 Fax: +44 (0)20 8568 1141 info@cpcases.com www.cpcases.com

V12.01 Updated January 2012 E&OE.

All information believed to be correct at time of publication. No liability accepted for decisions made as a result of errors. Specifications may change without notice.

Sales Enquiries:
020 8568 1881 / sales@cpcases.com

CP Cases Ltd
Unit 11 Worton Hall Industrial Estate
Worton Road, Isleworth
Middlesex TW7 6ER
United Kingdom

Tel +44 (0)20 8568 1881
Fax +44 (0)20 8568 1141
Email info@cpcases.com
Web www.cpcases.com



**TRUSTED
WHEN IT
MATTERS**

CP Cases' SatRack is a unique, super-lightweight transit rack solution specifically for portable satellite equipment and is used successfully by ENG and other fly-away personnel on assignment worldwide. SatRack features a strong, crush-proof outer case with internal, floating rack chassis, in the form of a carry-friendly piece of luggage. Compliant with IATA regulations for carry-on luggage, the 4U x 480 mm SatRack weighs only 8 kg, allowing 24 kg of equipment to be fitted within the 32 kg limit.

CP Cases' SatRack has a body shell of honeycomb polypropylene (HPP), encased in a HDPE foam jacket with an exterior cover in 1000 denier texturised nylon. The internal rack chassis in hi-tensile aluminium is shock-mounted on eight elastomeric anti-vibration mounts to protect against shock and vibration hazard.

CP Cases' SatRack is available in full and half-rack widths; 3, 4 and 5U heights and two rack depths, 480 mm and 600 mm.



Part Number	U-Height	Internal Chassis Depth mm	External Dims mm			Weight kg
			L	W	D	
SR0348	3U	480	610	665	274	7.3
SR0448	4U	480	610	665	319	8
SR0548	5U	480	610	665	363	8.7
SR0361	3U	610	740	665	274	7.9
SR0461	4U	610	740	665	319	9.1
SR0561	5U	610	740	665	363	9.35
SR0348HR	3U	480	610	443	274	6.6
SR0448HR	4U	480	610	443	319	7.3
SR0548HR	5U	480	610	443	363	8



Amazon 19" Racks

Ultimate Rotomoulded Protection

CP manufactures rugged 19 inch racks in tough virgin polyethylene, using the latest rotomoulding techniques.

Amazon Racks offer the ultimate protection for your equipment against sandstorms, saltwater, impact and extremes of temperature, keeping it secure during transit and ready for instant deployment.

Ideal for defence, marine, security, aerospace, oil and gas, satellite and telecommunication applications worldwide.

A lightweight stainless steel frame, suspended by eight customisable elastomeric anti-vibration mounts, provides superior 'sway space' between the frame and the outer container. It's the best possible way to safeguard delicate equipment.

Amazon is rated IP65 and complies with MIL-STD-810F, offering a working temperature of -40° to $+70^{\circ}$ and also available in standard colours. Other colours are available for quantities over 25.

Amazon comes with a large number of customizable parts to guarantee each rack meets every possible application. Price is dependant on customization and on quantity so please contact us directly for a quote.



Code	Unit Height	Frame Depth	Overall Dimensions (mm)			Weight	Wheels Available	Handles / Catches
			L	W	H			
AR04480707	4	480	740	583	328	17.5	N	4 / 12
AR04480712	4	480	795	583	328	17.7	Y	4 / 12
AR04610707	4	610	870	583	328	20.6	N	4 / 12
AR04610712	4	610	925	583	328	20.8	Y	4 / 12
AR06480707	6	480	740	583	417	19.8	N	4 / 12
AR06480712	6	480	795	583	417	20.4	Y	4 / 12
AR06610707	6	610	870	583	417	21.7	N	4 / 12
AR06610712	6	610	925	583	417	22.3	Y	4 / 12
AR08480707	8	480	740	583	506	21.4	N	4 / 16
AR08480712	8	480	795	583	506	22.1	Y	4 / 16
AR08610707	8	610	870	583	506	23.5	N	4 / 16
AR08610712	8	610	925	583	506	24.1	Y	4 / 16
AR10480707	10	480	740	583	595	22.9	N	4 / 20
AR10480712	10	480	795	583	595	23.6	Y	4 / 20
AR10610707	10	610	870	583	595	25.0	N	4 / 20
AR10610712	10	610	925	583	595	25.7	Y	4 / 20
AR12480707	12	480	740	583	683	24.4	N	4 / 20
AR12480712	12	480	795	583	683	25.1	Y	4 / 20
AR12610707	12	610	870	583	683	26.6	N	4 / 20
AR12610712	12	610	925	583	683	27.3	Y	4 / 20

Contact Details

For quotes and customisation

If you have a specific application and need your 19 inch rack to be customised or are buying in quantities of 5+ then please call, e-mail or fax for a specific quotation.



CP Cases Limited

Unit 11, Worton Hall Industrial Estate,
Worton Road, Isleworth, Middlesex
TW7 6ER England
Tel: +44 (0) 20 8568 1881
Fax: +44 (0) 20 8568 1141
E-mail – info@cpcases.com
Website – www.cpcases.com

CP Cases (Scotland) Limited

Unit 2, Woodside Road
Bridge of Don, Aberdeen
Tel: +44 (0) 1224 707 405
Fax: +44 (0) 1224 706 357
E-mail – info.Scotland@cpcases.com
Website – www.cpcases.com

If there are no racks for your particular application please contact us by e-mail, fax or telephone. We can discuss your exact needs and provide a quotation for a 'made-to-measure' product.

All prices are quoted in £ sterling and exclude carriage and VAT.

For more information on CP Cases and our extensive range of products, please visit our website:

www.cpcases.com



Call 020 8568 1881 to order or contact sales@cpcases.com
Unit 11 Worton Hall Industrial Estate, Worton Road, Isleworth, Middlesex TW7 6ER, United Kingdom
Tel: +44 (0)20 8568 1881 Fax: +44 (0)20 8568 1141 info@cpcases.com www.cpcases.com

V11.01 Updated January 2011 E&OE.

All information believed to be correct at time of publication. No liability accepted for decisions made as a result of errors. Specifications may change without notice.